

| | | | |
|--|--|--|--|
| | | | |
| | | | |

> d Z / > , Z d Z / ^ d / ^)

| Symbol | Test Condition | Value | | | Unit |
|--------|----------------|-------|------|------|------|
| | | MIN. | TYP. | MAX. | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

^ d d / , Z d Z / ^ d / ^

| Symbol | Parameter | Value(MAX.) | Unit |
|--------|-----------|-------------|------|
|--------|-----------|-------------|------|

M • p , Å 0 @ v € Ð M3P € S" _



D Z < / E '




FIG.1:

FIG.5:






FIG.6:



Ö



KZ Z/E' /E & KZD d/KE

| Order code | Voltage V_{DRM}/V_{RRM} (V) | IGT(μ A) | Package | Base qty. (pcs) | Delivery mode |
|--------------|----------------------------------|---------------|---------|--------------------|------------------|
| CR03AM-16 | 1250 | 200 | TO-92CR | 1,000 | Bulk Pack |
| CR03AM-16-TR | | | | 2,000 | Tape & Reel |

CR03AM-16

,Dd

M

